


Cambia utensile quadro (lato robot)




- Una sola maniglia.
- Sicurezza intrinseca.
- Conferma di chiusura con sensore magnetico (opzionale).

Square quick changer (robot side)

- One only handle.
- Intrinsic safety.
- Closure confirmation by an optional magnetic sensor.



	SQC100-A	SQC160-A	SQC250-A
A	110	176	270
B	50	80	125
C	57	90	150
D	147	220	325
E	5.5	40	40
F	28	32.3	32.3
G	76.6	110.8	110.8
H	55.5	78.6	78.6
I	100	135.3	135.3
J	19	21	20
Peso Weight	770 g	2050 g	3720 g
MFI..	MFI-A41	MFI-A43	MFI-A363





I sensori opzionali sono: The optional sensors are:		
SS4N225-G	PNP	Cavo 2.5m 2.5m cable
SS4M225-G	NPN	
SS3N203-G	PNP	Connettore M8 M8 snap plug connector
SS3M203-G	NPN	

Cambia utensile (lato robot)

Quick changer (robot side)

FIRST ANGLE
PROJECTION



MFI-A343

Peso

170 g

Weight



Unità Rotanti
Rotary Units

Cambia Utensile
Quick Changer

Profili e Staffe
Profiles and Brackets

Pinze
Grippers

Attuatori Lineari
Linear Actuators

Sospensioni
Suspensions

Taglierini
Nippers

Kit-Robot
Robot Kit



Accessori Opzionali
Options

Sensori
Sensors

Cambia utensile (lato pinza)

Quick changer (gripper side)

FIRST ANGLE
PROJECTION




MFI-A344

Peso	65 g
Weight	

Carichi di sicurezza

Safety loads



Lato robot
Robot side

MFI-A343

Lato pinza
Gripper side

MFI-A344

Carico utile suggerito
Suggested payload

3kg

F

60N

Mt


9Nm

Mb

6Nm

Cambia utensile (lato robot)

Quick changer (robot side)




	MFI-A40	MFI-A130	MFI-A133	MFI-A135
Peso	500 g	620 g	140 g	17 g
Weight				

MFI-A40



A
MFI-A130



B
MFI-A133





C
MFI-A135



Innesto rapido (n° 5 pezzi)
Quick coupling (5 pieces)

Cambia utensile (lato pinza)

Quick changer (gripper side)




MFI-A41

Peso	270 g
Weight	

Carichi di sicurezza

Safety loads



Lato robot a 1 maniglia 1-Handle robot side	SQC100-A
--	----------

Lato robot a 2 maniglie 2-Handle robot side	MFI-A40
--	---------

Lato pinza Gripper side	MFI-A41
----------------------------	---------

Carico utile suggerito Suggested payload	10kg
---	------


F	200N
---	------

Mt	45Nm
----	------

Mb	30Nm
----	------

Cambia utensile (lato robot)

Quick changer (robot side)



	MFI-A42	MFI-A131	MFI-A132	MFI-A134
Peso	1270 g	1650 g	450 g	40 g
Weight				


MFI-A42



B
MFI-A132



A
MFI-A131





C
MFI-A134



Innesto rapido (n°5 pezzi)
Quick coupling (5 pieces)

Cambia utensile (lato pinza)

Quick changer (gripper side)




	MFI-A43	MFI-A363
Peso Weight	670 g	1600 g
A	160 mm	250 mm
B	159 mm	249 mm
C	120 mm	200 mm



MFI-A43

Carichi di sicurezza

Safety loads



MFI-A43

MFI-A131

Lato robot a 1 maniglia 1-Handle robot side	SQC160-A	SQC250-A
Lato robot a 2 maniglie 2-Handle robot side	MFI-A42	-
Lato pinza Gripper side	MFI-A43	MFI-A363
Carico utile suggerito Suggested payload	20kg	40kg
F	400N	800N
Mt	120Nm	300Nm
Mb	80Nm	200Nm


Magazzino per EOAT MFI-A344-H
(da usare con MFI-A344, 60x60mm)

EOAT storage MFI-A344-H
(to be used with MFI-A344, 60x60mm)



Dimensioni (mm)
Dimensions (mm)

MFI-A344-H	
Peso	136 g
Weight	



FIRST ANGLE
PROJECTION

Magazzino per EOAT MFI-A41-H
(da usare con MFI-A41, 98x100mm)


EOAT storage MFI-A41-H
(to be used with MFI-A41, 98x100mm)



Dimensioni (mm)
Dimensions (mm)

MFI-A41-H

Peso	238 g
Weight	



FIRST ANGLE
PROJECTION


Magazzino per EOAT MFI-A43-H
(da usare con MFI-A43, 158x160mm)

EOAT storage MFI-A43-H
(to be used with MFI-A43, 158x160mm)



Dimensioni (mm)
Dimensions (mm)

	MFI-A43-H
Peso	547 g
Weight	



FIRST ANGLE
PROJECTION